# Author Index


Abildgaard, U., *see* Aursnes, I.
Adams, J.G., III, *see* Steinberg, M.H.
Addison, I.E., *see* Knight, R.A.
Akenzua, G.I. & Amiengheme, O.R. Inhibitor of *in vitro* neutrophil migration in sera of children with homozygous sickle cell gene during pain crisis, 345.
Aldridge, B., *see* Sophocleous, T.
Allan, D., Limbrick, A.R., Thomas, P. & Westerman, M.P. Microvesicles from sickle erythrocytes and their relation to irreversible sickling, 383.
Amiengheme, O.R., *see* Akenzua, G.I.
Angius, A., *see* Furbetta, M.
Antonopoulos, M., *see* Stavridis, J.
Aronstam, A., *see* McLellan, D.S.
Aursnes, I., Gjesdal, K. & Abildgaard, U. Platelet aggregation induced by ADP from unsheared erythrocytes at physiological $Ca^{++}$-concentration, 149.

Baccarani, M., *see* Tura, S.
Bacigalupo, A., Podesta', M., Van Lint, M.T., Vimercati, R., Cerri, R., Rossi, E., Risso, M., Carella, A., Santini, G., Damasio, E., Giordano, D. & Marmont, A.M. Severe aplastic anaemia: correlation of *in vitro* tests with clinical response to immunosuppression in 20 patients, 423.
Baker, E., Vicary, F.R. & Huehns, E.R. Iron release from isolated hepatocytes, 493.
Ballas, S.K., *see* Krasnow, S.H.
Baptista, L., *see* Reid, C.D.L.
Beard, M.E.J., *see* Fitzgerald, P.H.
Bennett, B., *see* Mackie, M.
Bennett, J.M., Catovsky, D., Daniel, M.T., Flandrin, G., Galton, D.A.G., Gralnick, H.R. & Sultan, G. The morphological classification of acute lymphoblastic leukaemia: concordance among observers and clinical correlations, 553.
Bennett, M., *see* Bradstock, K.F.
Bertilaccio, C., *see* Terrenato, L.
Beverley, P.C.L., *see* Linch, D.C.
Blackett, N.M. The response of haemopoietic tissue to cancer chemotherapeutic agents and the biological regulation of stem cells, 631.
Bloom, A.L., *see* Furlong, R.A.
Board, P.G. & Pidcock, M.E. Methaemoglobinaemia resulting from heterozygosity for two NADH-methaemoglobin reductase variants: characterization as NADH-ferricyanide reductase, 361.
Bollum, F.J., *see* Bradstock, K.F.
Boonzajer Flaes, M.L., *see* Roozendaal, K.J.
Booth, N.A., *see* Mackie, M.
Boots, M.A., *see* Lane, D.A.
Borge, L., *see* Holmberg, L.
Bradstock, K.F., Hoffbrand, A.V., Ganeshaguru, K., Llewellin, P., Patterson, K., Wonke, B., Prentice, A.G., Bennett, M., Pizzolo, G., Bollum, F.J. & Janossy, G. Terminal deoxynucleotidyl transferase expression in acute non-lymphoid leukaemia: an analysis by immunofluorescence, 133.
Bradstock, K.F., Janossy, G., Hoffbrand, A.V., Ganeshaguru, K., Llewellin, P., Prentice, H.G. & Bollum, F.J. Immunofluorescent and biochemical studies of terminal deoxynucleotidyl transferase in treated acute leukaemia, 121.
Bradstock, K.F., *see also* Hughes, A., *see also* Russell, N.H.
Brandan, N.C., Cotes, P.M. & Espada, J. *In vitro* assay of erythropoietin in fetal mouse liver cultures. I. Comparison of radioactive tracers and evidence of assay specificity, 461.
Brandan, N.C., Cotes, P.M. & Espada, J. *In vitro* assay of erythropoietin in fetal mouse liver cultures. II. Effects of human transferrin bound iron and of serum on the stimulation of incorporation of $^3$H-thymidine into DNA, 469.
Breslin, B., *see* McCann, S.R.
Breton-Gorius, J. On the alleged phagocytosis by megakaryocytes, 635.
Bridges, J.M., *see* Elder, G.E.
Brugues, R., *see* Rozman, C.
Brun, B., *see* Sultan, C.
Bunch, C., Wood, W.G., Weatherall, D.J. & Robinson, J.S. Studies of the haemoglobin F to A switch following haemopoietic cell transplantation in sheep, 631.
Burka, E.R., *see* Krasnow, S.H.

Cabrera, J.R., Fontán, G., Lorente, F., Regidor, C. & Fernández, M.N. Defective neutrophil mobility in the May-Hegglin anomaly, 337.
Callard, R.C., *see* Linch, D.C.
Canciani, M.T., *see* Mannucci, P.M.
Cao, A., *see* Furbetta, M.
Carella, A., *see* Bacigalupo, A.
Caro, J., *see* Krasnow, S.H.
Carreras, L.O., *see* Machin, S.J.
Cash, J.D., *see* Prowse, C.V., *see also* Turner, T.
Catovsky, D., Lauria, F., Matutes, E., Foa, R., Mantovani, V., Tura, S. & Galton, D.A.G. Increase in Tγ lymphocytes in B-cell chronic lymphocytic leukaemia. II. Correlation with clinical stage and findings in B-prolymphocytic leukaemia, 539.
Catovsky, D., *see also* Bennett, J.M.
Cawley, J.C., *see* Linch, D.C.
Cerny, E.A., *see* Lau, E.H.
Cerri, R., *see* Bacigalupo, A.
Chamone, D.A.F., *see* Machin, S.J.
Chan, P., *see* Scully, M.F.
Chanarin, I., Deacon, R., Perry, J. & Lumb, M. How vitamin $B_{12}$ acts, 487.
Chanarin, I., *see also* Deacon, R., *see also* Reid, C.D.L.
Chen, H.-S.G., *see* Durie, B.G.M.
Chen, Y-C., *see* Wu, K.K.
Clegg, J.B., *see* Higgs, D.R., *see also* Pressley, L., *see also* Sophocleous, T.
Cole, P.W., *see* Durie, B.G.M.
Coleman, M.B., *see* Steinberg, M.H.
Colombo, B., *see* Terrenato, L.
Colvin, B.T., *see* Slocombe, G.W.
Colvin, M.P., *see* Slocombe, G.W.
Cooksley, W.G.E., *see* Mack, U.
Corbelli, G., *see* Tura, S.
Cotes, P.M., *see* Brandan, N.C.
Cowan, D.H., Robertson, A.L., Shook, P. & Giroski, P. Platelet adherence to collagen: role of plasma, ADP, and divalent cations, 257. (Fig 2 facing p. 207)
Creatsas, G., *see* Stavridis, J.

D'Agay, M.F.R., *see* Sultan, C.
Damasio, E., *see* Bacigalupo, A.
Daniel, M.T., *see* Bennett, J.M.
Dauden, M., *see* Machin, S.J.
Davey, F.R., Lachant, N.A., Dock, N.L., Hubbell, C., Stockman, J.A., III, & Henry, J.B. HLA antigens and childhood acute lymphocytic leukaemia, 211.
Davidson, J.F., *see* Walker, I.D.
Davidson, K.G., *see* Walker, I.D.
Deacon, R., Perry, J., Lumb, M. & Chanarin, I. The effect of nitrous oxide-induced inactivation of vitamin $B_{12}$ on folate-mediated single-carbon unit transfer, 628.
Deacon, R., *see also* Chanarin, I.

Defreyn, G., *see* Machin, S.J.
De Haas, H., *see* Scully, M.F.
Deregnaucourt, J., *see* Sultan, C.
Devlin, J.D., *see* McLellan, D.S.
Dicke, K.A., *see* Roozendaal, K.J.
Dixon, E. & Winslow, R.M. The interaction between $(Ca^{2+}+Mg^{2+})$-ATPase and the soluble activator (calmodulin) in erythrocytes containing haemoglobin S, 391.
Dock, N.L., *see* Davey, F.R.
Donovan, B.S., *see* Mannucci, P.M.
Durie, B.G.M., Cole, P.W., Chen, H.-S.G., Himmelstein, K.J. & Salmon, S.E. Synthesis and metabolism of Bence Jones protein and calculation of tumour burden in patients with Bence Jones myeloma, 7.
Durie, B.G.M., Salmon, S.E. & Mundy, G.R. Relation of osteoclast activating factor production to extent of bone disease in multiple myeloma, 21.

Elder, G.E., Lappin, T.R.J., Lawson, B.E. & Bridges, J.M. Three pyruvate kinase variants with increased affinity for PEP, 371.
Epstein, J., *see* Preisler, H.D.
Espada, J., *see* Brandan, N.C.

Faichney, A., *see* Walker, I.D.
Falchi, A.M., *see* Furbetta, M.
Fernández, M.N., *see* Carbrera, J.R.
Ferris, R.A., *see* Mack, U.
Fibach, E. & Rachmilewitz, E.A. Tumour promoters induce macrophage differentiation in human myeloid cells from patients with acute and chronic myelogenous leukaemia, 203.
Firkin, B.G., *see* Howard, M.A.
Fitzgerald, P.H., McEwan, C., Fraser, J. & Beard, M.E.J. A complex $Ph^1$ translocation in a patient with primary thrombocythaemia, 571.
Flandrin, G., *see* Bennett, J.M.
Fletcher, J., *see* Philip, M.A.
Foa, R., *see* Catovsky, D.
Fontán, G., *see* Cabrera, J.R.
Foster, M.A. Electron spin resonance in haematological research, 1.
Fraser, J., *see* Fitzgerald, P.H.
Frisch, B., *see* Yust, I.
Furbetta, M., Angius, A., Ximenes, A., Rosatelli, C., Scalas, M.T., Tuveri, T., Falchi, A.M. & Cao, A. Difficulties in antenatal diagnosis of inherited haemoglobinopathies: γ-chain variants, 319.
Furlong, R.A., Peake, I.R. & Bloom, A.L. Factor VIII clotting antigen (VIIICAg) in haemophilia measured by two immunoradiometric assays (IRMA) using different antibodies: the early detection of inhibitors to procoagulant factor VIII (VIIIC) by IRMA, 629.

Galili, U., Manny, N. & Izak, G. EA rosette formation: a simple means to increase sensitivity of the antiglobulin test in patients with anti red cell antibodies, 227.
Galton, D.A.G., *see* Bennett, J.M., *see also* Catovsky, D.
Ganeshaguru, K., *see* Bradstock, K.F., *see also* Russell, N.H.
Geraedts, J.P.M., *see* Roozendaal, K.J.
Giordano, D., *see* Bacigalupo, A.
Girma, J.-P., Lavergne, J.-M., Meyer, D. & Larrieu, M.-J. Immunoradiometric assay of factor VIII: coagulant antigen using four human antibodies. Study of 27 cases of haemophilia A, 269.
Giroski, P., *see* Cowan, D.H.
Gjesdal, K., *see* Aursnes, I.
Goldsher, N., *see* Yust, I.
Goldstone, A.H., *see* Knight, R.A.
Gordon, M.Y. & Gordon-Smith, E.C. Lymphocytes and haemopoiesis, 163.
Gordon-Smith, E.C., *see* Gordon, M.Y.
Gottfried, E.L. Acidified glycerol lysis test, 323.
Gouault-Heilmann, M., *see* Sultan, C.
Gralnick, H.R., *see* Bennett, J.M.
Greally, J.F., *see* Miles, K.H.G.
Groom, P., *see* McLellan, D.S.

Halliday, J.W., *see* Mack, U.
Hargreaves, R.M., Street, M., Hoy, T., Jacobs, A. & McLaren, C. Myoglobin depletion in childhood iron deficiency, 399.
Hathaway, W.E., *see* Johnson, S.S.
Henry, J.B., *see* Davey, F.R.
Hernandez-Nieto, L., *see* Rozman, C.
Higgs, D.R., Pressley, L., Serjeant, G.R., Clegg, J.B. & Weatherall, D.J. The genetics and molecular basis of alpha thalassaemia in association with Hb S in Jamaican Negroes, 43.
Higgs, D.R., *see also* Pressley, L., *see also* Sophocleous, T.
Himmelstein, K.J., *see* Durie, B.G.M.
Hirano, M., Matsuki, T., Tanishima, K., Takeshita, M., Shimizu, S., Nagamura, Y. & Yoneyama, Y. Congenital methaemoglobinaemia due to NADH methaemoglobin reductase deficiency: successful treatment with oral riboflavin, 353.
Hoffbrand, A.V., *see* Bradstock, K.F., *see also* Hughes, A., *see also* Russell, N.H., *see also* Taheri, M.R.
Holmberg, L., Borge, L. & Nilsson, I.M. Factor VIII:C and VIII:CAg response in patients with haemophilia A and von Willebrand's disease after administration of different factor VIII concentrates or plasma, 587.
Howard, M.A., Perkin, J., Koutts, J. & Firkin, B.G. Quantitation of binding of factor VIII antigen to concanavalin A, 607.
Hoy, T., *see* Hargreaves, R.M.
Hoyer, L.W., *see* Tuddenham, E.G.D.
Hubbell, C., *see* Davey, F.R.
Huehns, E.R., *see* Baker, E.
Hughes, A., McVerry, B.A., Walker, H., Bradstock, K.F., Hoffbrand, A.V. & Janossy, G. Heterogeneous blast cell crises in Philadelphia negative chronic granulocytic leukaemia, 563.

Imbert, M., *see* Sultan, C.
Ireland, H.A., *see* Lane, D.A.
Izak, G., *see* Galili, U.

Jacobs, A., *see* Hargreaves, R.M.
Janossy, G., *see* Bradstock, K.F., *see also* Hughes, A.
Johnson, S.S., Montgomery, R.R. & Hathaway, W.E. Newborn factor VIII complex: elevated activities in term infants and alterations in electrophoretic mobility related to illness and activated coagulation, 597.

Kakkar, V.V., *see* Scully, M.F.
Kaplan, J.M., *see* Roodman, G.D.
Kaplan, M.E., *see* Roodman, G.D.
Kaskarelis, D., *see* Stavridis, J.
Knight, R.A., Stephens, H.A.F., Addison, I.E. & Goldstone, A.H. T-cell proliferative and anomalous cytotoxic responses in leukaemic patients, 633.
Ko, Y.W., *see* Sultan, C.
Koeffler, H.P., *see* Territo, M.C.
Koutts, J., *see* Howard, M.A.
Krasnow, S.H., Pielichowski, H.J., Caro, J., Burka, E.R. & Ballas, S.K. Membrane proteins synthesized by human reticulocytes and their precursors, 171.
Kubota, K., *see* Suda, T.

Lachant, N.A., *see* Davey, F.R.
Lane, D.A. Fibrinogen derivatives in plasma, 329.

LANE, D.A., IRELAND, H.A., WOLFF, S., BOOTS, M.A. & PEGRUM, G.D. Simultaneous measurement of thrombin and plasmin activities and platelet releasing stimuli in plasma, 630.
LANZKOWSKY, P. *Pediatric Hematology-Oncology* (Review), 637.
LAPPIN, T.R.J., *see* ELDER, G.E.
LARRIEU, M.-J., *see* GIRMA, J.-P.
LATALLO, Z.S., THOMSON, J.M. & POLLER, L. An evaluation of chromogenic substrates in the control of oral anticoagulant therapy, 307.
LAU, E.H., CERNY, E.A. & RAHMAN, Y.E. Liposome-encapsulated desferrioxamine in experimental iron overload, 505.
LAURIA, F., *see* CATOVSKY, D.
LAVERGNE, J.-M., *see* GIRMA, J.-P.
LAWSON, B.E., *see* ELDER, G.E.
LAZARCHICK, J., *see* TUDDENHAM, E.G.D.
LEE, N.Y., *see* RUSSELL, N.H.
LEONARD, R.C.F. Effect of temperature upon relative viscosity of normal and myeloma serum, 161.
LIMBRICK, A.R., *see* ALLAN, D.
LINCH, D.C., WORMAN, C.P., CAWLEY, J.C., LYDDYARD, P.M., CALLARD, R.C. & BEVERLEY, P.C.L. Abnormal T-cell populations in pure red-cell aplasia and severe neutropenia, 627.
LLEWELLIN, P., *see* BRADSTOCK, K.F.
LOLIS, D., *see* STAVRIDIS, J.
LORENTE, F., *see* CABRERA, J.R.
LUMB, M., *see* CHANARIN, I., *see also* DEACON, R.
LYDDYARD, P.M., *see* LINCH, D.C.

MACHIN, S.J., CARRERAS, L.O., CHAMONE, D.A.F., DEFREYN, G., DAUDEN, M. & VERMYLEN, J. Familial deficiency of thromboxane synthetase, 629.
MACHIN, S.J., CHAMONE, D.A.F., DEFREYN, G. & VERMYLEN, J. The effect of clinical prostacyclin infusions in advanced arterial disease on platelet function and plasma 6-keto $PGF_{1\alpha}$ levels, 413.
MACK, U., COOKSLEY, W.G.E., FERRIS, R.A., POWELL, L.W. & HALLIDAY, J.W. Regulation of plasma ferritin by the isolated perfused rat liver, 403.
MACKIE, M., BOOTH, N.A. & BENNETT, B. Comparative studies on human activators of plasminogen, 77.
MANN, J.R. Sickle cell haemoglobinopathies in Birmingham children: a prospective study of the natural history and complications, 630.
MANNUCCI, P.M., CANCIANI, M.T., ROTA, L. & DONOVAN, B.S. Response of factor VIII/von Willebrand factor to DDAVP in healthy subjects and patients with haemophilia A and von Willebrand's disease, 283.
MANNY, N., *see* GALILI, U.
MANTOVANI, V., *see* CATOVSKY, D.
MARINO, S., *see* RUSSO, A.
MARMONT, A.M., *see* BACIGALUPO, A.
MARTIN, M., *see* MCMILLAN, R.
MATSUKI, T., *see* HIRANO, M.
MATUTES, E., *see* CATOVSKY, D.
MCCANN, S.R., WHELAN, C.A., BRESLIN, B. & TEMPERLEY, I.J. T-cell sub-populations following splenic irradiation in patients with chronic lymphatic leukaemia, 633.
MCEWAN, C., *see* FITZGERALD, P.H.
MCLAREN, C., *see* HARGREAVES, R.M.
MCLELLAN, D.S., DEVLIN, J.D., GROOM, P. & ARONSTAM, A. A radial immunodiffusion method for the assay of factor VIII:C antigen (VIII:C Ag) in plasma, 295.
MCMILLAN, R. & MARTIN, M. Fixation of C3 to platelets *in vitro* by antiplatelet antibody from patients with immune thrombocytopenic purpura, 251.
MCVERRY, B.A., *see* HUGHES, A.
METAXATOU-MAVROMATI, A., *see* PRESSLEY, L.
MEYER, D., *see* GIRMA, J.-P.
MILLS, K.H.G., TEMPERLEY, I.J. & GREALLY, J.F. The comparative effects of cyclophosphamide and total body irradiation on the haemopoietic tissues and immune response of the rat, 632.
MINKOFF, I.M., *see* WU, K.K.
MIURA, Y., *see* SUDA, T.
MIZOGUCHI, H., *see* SUDA, T.
MOMPARLER, L.F., *see* RIVARD, G.E.
MOMPARLER, R.L., *see* RIVARD, G.E.
MONTGOMERY, R.R., *see* JOHNSON, S.S.
MONTSERRAT, E., *see* ROZMAN, C.
MUNDY, G.R., *see* DURIE, B.G.M.

NAGAMURA, Y., *see* HIRANO, M.
NEWLAND, A.C., *see* SLOCOMBE, G.W.
NILSSON, I.M., *see* HOLMBERG, L.

PATTERSON, K., *see* BRADSTOCK, K.F.
PEAKE, I.R., *see* FURLONG, R.A.
PEGRUM, G.D., *see* LANE, D.A.
PERKIN, J., *see* HOWARD, M.A.
PERRY, J., *see* CHANARIN, I., *see also* DEACON, R.
PHILIP, M.A. & FLETCHER, J. Control of granulopoiesis in chronic granulocytic leukaemia, 633.
PIDCOCK, M.E., *see* BOARD, P.G.
PIELICHOWSKI, H.J., *see* KRASNOW, S.H.
PIGA, A., *see* RUSSELL, N.H.
PIZZOLO, G., *see* BRADSTOCK, K.F.
PODESTA', M., *see* BACIGALUPO, A.
POLLER, L., *see* LATALLO, Z.S.
POWELL, L.W., *see* MACK, U.
POWLES, R.L. Mis-match bone marrow transplantation in leukaemia, 627.
PREISLER, H.D. & EPSTEIN, J. A comparison of two methods for determining the sensitivity of human myeloid colony-forming units to cytosine arabinoside, 519.
PRENTICE, A.G., *see* BRADSTOCK, K.F.
PRENTICE, H.G., *see* BRADSTOCK, K.F., *see also* RUSSELL, N.H.
PRESCOTT, R.J., *see* TURNER, T.
PRESSLEY, A., *see* STEINBERG, M.H.
PRESSLEY, L., HIGGS, D.R., METAXATOU-MAVROMATI, A., CLEGG, J.B. & WEATHERALL, D.J. Characterization of a new $\alpha$ thalassaemia-1 defect due to a partial deletion of the $\alpha$ gene complex, 631.
PRESSLEY, L., *see also* HIGGS, D.R., *see also* SOPHOCLEOUS, T.
PROWSE, C.V. & CASH, J.D. The use of factor IX concentrates in man: a 9-year experience of Scottish concentrates in the South-East of Scotland, 91.
PROWSE, C.V., *see also* TURNER, T.

RACHMILEWITZ, E.A., *see* FIBACH, E.
RAHMAN, Y.E., *see* LAU, E.H.
REGIDOR, C., *see* CABRERA, J.R.
REID, C.D.L., BAPTISTA, L. & CHANARIN, I. T-lymphocytes and peripheral blood monocytes interact to promote erythroid growth *in vitro* from peripheral blood null cells (BFU-E), 627.
REWALD, E. & ROSASCO, M.G. Delay in red cell filtration in polycythaemic patients, 485.
RISSO, M., *see* BACIGALUPO, A.
RIVARD, G.E., MOMPARLER, L.F. & MOMPARLER, R.L. Effects of trimethoprim on leukaemic cells *in vitro*, 221.
ROBERTSON, A.L., *see* COWAN, D.H.
ROBINSON, J.S., *see* BUNCH, C.
ROODMAN, G.D., KAPLAN, J.M., KAPLAN, M.E. & ZANJANI, E.D. Effects of shortened erythropoietin exposure on sheep marrow cultures, 195.
ROOZENDAAL, K.J., DICKE, K.A. & BOONZAJER FLAES, M.L. Effect of oxymetholone on human cyclic haematopoiesis, 185.
ROOZENDAAL, K.J., VAN DER REIJDEN, H.J. & GERAEDTS, J.P.M.

Philadelphia chromosome positive acute lymphoblastic leukaemia with T-cell characteristics, 145.
Rosasco, M.G., *see* Rewald, E.
Rosatelli, C., *see* Furbetta, M.
Rossi, E., *see* Bacigalupo, A.
Rossi, E.C., *see* Wu, K.K.
Rota, L., *see* Mannucci, P.M.
Rozman, C., Hernandez-Nieto, L., Montserrat, E. & Brugues, R. Prognostic significance of bone-marrow patterns in chronic lymphocytic leukaemia, 529.
Russell, N.H., Prentice, H.G., Lee, N.Y., Piga, A., Ganeshaguru, K., Bradstock, K.F., Smythe, J. & Hoffbrand, A.V. Studies on the molecular basis of cell killing during treatment in resistant acute leukaemia with the adenosine deaminase inhibitor 2′ deoxycoformycin, 632.
Russo, A., Marino, S., Sciotto, A. & Schiliro', G. Eosinophilia in leukaemia, 323.

Salmon, S.E., *see* Durie, B.G.M.
Santini, G., *see* Bacigalupo, A.
Scalas, M.T., *see* Furbetta, A.
Schiliro', G., *see* Russo, A.
Sciotto, A., *see* Russo, A.
Scully, M.F., De Hass, H., Chan, P. & Kakkar, V.V. Hereditary antithrombin III deficiency in an English family, 235.
Serjeant, G.R., *see* Higgs, D.R.
Sharnoff, J.G. *Prevention of Deep Venous Thrombosis and Pulmonary Embolism* (Review), 326.
Shimizu, S., *see* Hirano, M.
Shook, P., *see* Cowan, D.H.
Slocombe, G.W., Newland, A.C., Colvin, M.P. & Colvin, B.T. The role of intensive plasma exchange in the prevention and management of haemorrhage in patients with inhibitors to factor VIII, 577.
Smythe, J., *see* Russell, N.H.
Sophocleous, T., Higgs, D.R., Aldridge, B., Trent, R.J., Pressley, L., Clegg, J.B. & Weatherall, D.J. The molecular basis for the haemoglobin Bart's hydrops fetalis syndrome in Cyprus, 153.
Spinelli, P., *see* Terrenato, L.
Springer, G.F. & Tegtmeyer, H. Origin of anti-Thomsen-Friedenreich (T) and Tn agglutinins in man and White Leghorn chicks, 453.
Stavridis, J., Creatsas, G., Lolis, D., Traga, G., Antonopoulos, M. & Kaskarelis, D. Relationships between leucocyte alkaline phosphatase and nitroblue tetrazolium reduction activities in the peripheral blood polymorphonuclear leucocytes in normal individuals, 157.
Steinberg, M.H., Coleman, M.B., Pressley, A. & Adams, J.G., III. Globin biosynthesis in erythroid bursts of heterozygous α or β thalassaemia, 57.
Stephens, H.A.F., *see* Knight, R.A.
Stockman, J.A., III, *see* Davey, F.R.
Street, M., *see* Hargreaves, R.M.
Suda, T., Mizoguchi, H., Miura, Y., Kubota, K. & Takaku, F. Suppression of *in vitro* granulocyte–macrophage colony formation by the peripheral mononuclear phagocytic cells of patients with idiopathic aplastic anaemia, 433.
Sultan, C., Deregnaucourt, J., Ko, Y.W., Imbert, M., Ricard D'Agay, M.F., Gouault-Heilmann, M. & Brun, B. Distribution of 250 cases of acute myeloid leukaemia (AML) according to the FAB classification and response to therapy, 545.
Sultan, C., *see also* Bennett, J.M.

Taheri, M.R., Wickremasinghe, R.G. & Hoffbrand, A.V. Metabolism of deoxyuridine-derived nucleotides by megaloblastic marrow cells, 628.
Takaku, F., *see* Suda, T.
Takeshita, M., *see* Hirano, M.
Tanishima, K., *see* Hirano, M.
Tegtmeyer, H., *see* Springer, G.F.
Temperly, I.J., *see* McCann, S.R., *see also* Mills, K.H.G.
Terrenato, L., Bertilaccio, C., Spinelli, P. & Colombo, B. The switch from haemoglobin F to A: the time course of qualitative and quantitative variations of haemoglobins after birth, 31.
Territo, M.C. & Koeffler, H.P. Induction by phorbol esters of macrophage differentiation in human leukaemia cell lines does not require cell division, 479.
Thomas, P., *see* Allan, D.
Thomson, J.M., *see* Latallo, Z.S.
Traga, G., *see* Stavridis, J.
Trent, R.J., *see* Sophocleous, T.
Tuddenham, E.G.D., Lazarchick, J. & Hoyer, L.W. Synthesis and release of factor VIII by cultured human endothelial cells, 617.
Tura, S., Baccarani, M., Corbelli, G. and The Italian Co-operative Study Group on Chronic Myeloid Leukaemia. Staging of chronic myeloid leukaemia, 105.
Tura, S., *see also* Catovsky, D.
Turner, T., Prowse, C.V., Prescott, R.J. & Cash, J.D. A clinical trial on the early detection and correction of haemostatic defects in selected high-risk neonates, 65.
Tuveri, T., *see* Furbetta, M.

Van der Reijden, H.J., *see* Roozendaal, K.J.
van Furth, R. (ed.) *Mononuclear Phagocytes. Functional Aspects* (Review), 162.
Van Lint, M.T., *see* Bacigalupo, A.
Vermylen, J., *see* Machin, S.J.
Vicary, F.R., *see* Baker, E.
Vimercati, R., *see* Bacigalupo, A.

Walker, H., *see* Hughes, A.
Walker, I.D., Davidson, J.F., Faichney, A., Davidson, K.G. & Wheatley, D.J. The effects of constant prostacyclin infusion during cardiopulmonary bypass, 629.
Weatherall, D.J., *see* Bunch, C., *see also* Higgs, D.R., *see also* Pressley, L., *see also* Sophocleous, T.
Westerman, M.P., *see* Allan, D.
Wheatley, D.J., *see* Walker, I.D.
Whelan, C.A., *see* McCann, S.R.
Wickremasinghe, R.G., *see* Taheri, M.R.
Winslow, R.M., *see* Dixon, E.
Wolff, S., *see* Lane, D.A.
Wonke, B., *see* Bradstock, K.F.
Wood, W.G., *see* Bunch, C.
Worman, C.P., *see* Linch, D.C.
Wu, K.K., Minkoff, I.M., Rossi, E.C. & Chen, Y-C. Hereditary bleeding disorder due to a primary defect in platelet release reaction, 241.

Ximenes, A., *see* Furbetta, M.

Yoneyama, Y., *see* Hirano, M.
Yust, I., Frisch, B. & Goldsher, N. Antibody-dependent cell-mediated cytotoxicity (ADCC) of penicillin-treated human red blood cells, 443.

Zanjani, E.D., *see* Roodman, G.D.

# Subject Index


Agglutinins, anti-Thomsen-Friedenreich (T) and Tn, origin in man and White Leghorn chicks (SPRINGER & TEGTMEYER), 453.
Alpha thalassaemia-1 defect due to a partial deletion of the α gene complex, characterization of (PRESSLEY, HIGGS, METATAXATOU-MAVROMATI, CLEGG & WEATHERALL), 631.
Anaemia, idiopathic aplastic, suppression of *in vitro* granulocyte-macrophage colony formation by the peripheral mononuclear phagocytic cells of patients with (SUDA, MIZOGUCHI, MIURA, KUBOTA & TAKAKU), 453.
Anaemia, severe aplastic; correlation of *in vitro* tests with clinical response to immunosuppression in 20 patients (BACIGALUPO *et al*), 423.
Anticoagulant therapy, oral, an evaluation of chromogenic substrates in the control of (LATALLO, THOMSON & POLLER), 307.
Antithrombin III deficiency, hereditary, in an English family (SCULLY, DE HAAS, CHAN & KAKKAR), 235.
Aplasia, pure red-cell, and severe neutropenia, abnormal T-cell populations in (LINCH, WORMAN, CAWLEY, LYDDYARD, CALLARD & BEVERLEY), 627.

Bence Jones protein, synthesis and metabolism of, and calculation of tumour burden in patients with Bence Jones myeloma (DURIE, COLE, CHEN, HIMMELSTEIN & SALMON), 7.
Book reviews
*Mononuclear Phagocytes*, 162.
*Pediatric Hematology-Oncology*, 637.
*Prevention of Deep Venous Thrombosis and Pulmonary Embolism*, 326.

Chromogenic substrates in the control of oral anticoagulant therapy, an evaluation of (LATALLO, THOMSON & POLLER), 307.
Collagen, platelet adherence to; role of plasma, ADP, and divalent cations (COWAN, ROBERTSON, SHOOK & GIROSKI), 257.
Concanavalin A, quantiation of binding of factor VIII antigen to (HOWARD, PERKIN,KOUTTS & FIRKIN), 607.
Cyclophosphamide, the comparative effects of, and total body irradiation on the haemopoietic tissue and immune response of the rat (MILLS, TEMPERLEY & GREALLY), 632.
Cytosine arabinoside, a comparison of two methods for determining the sensitivity of human myeloid colony-forming units to (PREISLER & EPSTEIN), 519.

Desferrioxamine, liposome-encapsulated, in experimental iron overload (LAU, CERNY & RAHMAN), 505.

EA rosette formation: a simple means to increase sensitivity of the antiglobulin test in patients with anti red cell antibodies (GALILI, MANNY & IZAK), 227.
Electron spin resonance in haematological research (FOSTER), 1.
Eosinophilia in leukaemia (RUSSO, MARINO, SCIOTTO & SCHILIRO'), 323.
Erythropoietin exposure, shortened, effects on sheep marrow cultures (ROODMAN, KAPLAN, KAPLAN & ZANJANI), 195.
Erythropoietin, *in vitro* assay of, in fetal mouse liver cultures (BRANDAN, COTES & ESPADA), 461, 469.

Factor VIII antigen to concanavalin A, quantitation of binding of (HOWARD, PERKIN, KOUTTS & FIRKIN), 607.
Factor VIII clotting antigen in haemophilia measured by two immunoradiometric assays using different antibodies (FURLONG, PEAKE & BLOOM), 629.
Factor VIII: coagulant antigen, immunoradiometric assay of using four human antibodies (GIRMA, LAVERGNE, MEYER & LARRIEU), 269.
Factor VIII complex, newborn: elevated activities in term infants and alterations in electrophoretic mobility related to illness and activated coagulation (JOHNSON, MONTGOMERY & HATHAWAY), 597.
Factor VIII, synthesis and release of, by cultured human endothelial cells (TUDDENHAM, LAZARCHICK & HOYER), 617.
Factor VIII, the role of intensive plasma exchange in the prevention and management of haemorrhage in patients with inhibitors to (SLOCOMBE, NEWLAND, COLVIN & COLVIN), 577.
Factor VIII/von Willebrand factor, response to DDAVP in healthy subjects and patients with haemophilia A and von Willebrand's disease (MANNUCCI, CANCIANI, ROTA & DONOVAN), 283.
Factor VIII:C and VIII:CAg response in patients with haemophilia A and von Willebrand's disease after administration of different factor VIII concentrates or plasma (HOLMBERG, BORGE & NILSSON), 587.
Factor VIII:C antigen in plasma, a radial immunodiffusion method for the assay of (MCLELLAN, DEVLIN, GROOM & ARONSTAM), 295.
Factor IX concentrates in man, the use of: a 9-year experience of Scottish concentrates in the South-East of Scotland (PROWSE & CASH), 91.
Fibrinogen derivatives in plasma (LANE), 329.

Glycerol lysis test, acidified (GOTTFRIED), 323.

Haematopoiesis and lymphocytes (GORDON & GORDON-SMITH), 163.
Haemoglobin Bart's hydrops fetalis syndrome in Cyprus, the molecular basis for (SOPHOCLEOUS, HIGGS, ALDRIDGE, TRENT, PRESSLEY, CLEGG & WEATHERALL), 153.
Haemoglobin F to A switch following haemopoietic cell transplantation in sheep (BUNCH, WOOD, WEATHERALL & ROBINSON), 631.
Haemoglobin F to A, the switch from: the time course of qualitative and quantitative variations of haemoglobins after birth (TERRENATO, BERTILACCIO, SPINELLI & COLOMBO), 31.
Haemoglobin S, the interaction between $(Ca^{2+}+Mg^{2+})$-ATPase and the soluble activator (calmodulin) in (DIXON & WINSLOW), 391.
Haemoglobinopathies, inherited, difficulties in antenatal diagnosis of: γ-chain variants (FURBETTA, ANGIUS, XIMENES, ROSATELLI, SCALAS, TUVERI, FALCHI & CAO), 319.
Haemophilia A and von Willebrand's disease, response of factor VIII/von Willebrand factor to DDVAP in healthy subjects and patients with (MANNUCCI, CANCIANI, ROTA & DONOVAN), 283.
Haemophilia A and von Willebrand's disease, factor VIII:C and VIII:CAg response in patients with, after administration of different factor VIII concentrates or plasma (HOLMBERG, BORGE & NILSSON), 587.
Haemophilia A, study of 27 cases of: immunoradiometric assay of factor VIII: coagulant antigen using four human antibodies (GIRMA, LAVERGNE, MEYER & LARRIEU), 269.
Haemopoietic tissue, response to cancer chemotherapeutic agents and the biological regulation of stem cells (BLACKETT), 631.
Haemorrhage in patients with inhibitors to factor VIII, the role of intensive plasma exchange in the prevention and management of (SLOCOMBE, NEWLAND, COLVIN & COLVIN), 577.

Haemostatic defects in selected high-risk neonates, a clinical trial on the early detection and correction of (TURNER, PROWSE, PRESCOTT & CASH), 65.
Hepatocytes, isolated iron release from (BAKER, VICARY & HUEHNS), 493.
HLA antigens and childhood acute lymphocytic leukaemia (DAVEY, LACHANT, DOCK, HUBBELL, STOCKMAN & HENRY), 211.

Immune thrombocytopenic purpura, fixation of C3 to platelets *in vitro* by antiplatelet antibody from patients with (MCMILLAN & MARTIN), 251.
Iron release from isolated hepatocytes (BAKER, VICARY & HUEHNS), 493.

Leucocyte alkaline phosphatase, relationships between, and nitroblue tetrazolium reduction activities in the peripheral blood polymorphonuclear leucocytes in normal individuals (STAVRIDIS, CREATSAS, LOLIS, TRAGA, ANTONAPOULOS & KASKAERLIS), 157.
Leukaemia, acute lymphoblastic, the morphological classification of: concordance among observers and clinical correlations (BENNETT, CATOVSKY, DANIEL, FLANDRIN, GALTON, GRALNICK & SULTAN), 553.
Leukaemia, acute myeloid, distribution of 250 cases according to the FAB classification and response to therapy (SULTAN, DEREGNAUCOURT, KO, IMBERT, D'AGAY, GOUAULT-HEILMANN & BRUN), 545.
Leukaemia, acute non-lymphoid, terminal deoxynucleotidyl transferase expression in: an analysis by immunofluorescence (BRADSTOCK *et al*), 133.
Leukaemia, B-cell chronic lymphocytic, increase in Tγ lymphocytes in (CATOVSKY, LAURIA, MATUTES, FOA, MANTOVANI, TURA & GALTON), 539.
Leukaemia cell lines, human, induction by phorbol esters of macrophage differentiation in, does not require cell division (TERRITO & KOEFFLER), 479.
Leukaemia, childhood acute lymphocytic, HLA antigens and (DAVEY, LACHANT, DOCK, HUBBELL, STOCKMAN & HENRY), 211.
Leukaemia, chronic granulocytic, control of granulopoiesis in (PHILIP & FLETCHER), 633.
Leukaemia, chronic lymphocytic, prognostic significance of bone-marrow patterns in (ROZMAN, HERNANDEZ-NIETO, MONTSERRAT & BRUGUES), 529.
Leukaemia, chronic lymphatic, T-cell sub-populations following splenic irradiation in patients with (MCCANN, WHELAN, BRESLIN & TEMPERLEY), 633.
Leukaemia, chronic myeloid, staging of (TURA, BACCARANI & CORBELL), 105.
Leukaemia, eosinophilia in (RUSSO, MARINO, SCIOTTO & SCHILIRO'), 324.
Leukaemia, mis-match bone marrow transplantation in (POWLES), 627.
Leukaemia, myelogenous, acute and chronic, tumour promoters induce macrophage differentiation in human myeloid cells from patiants with (FIBACH & RACHMILEWITZ), 203.
Leukaemia, Philadelphia chromosome positive acute lymphoblastic, with T-cell characteristics (ROOZENDAAL, VAN DER REIJDEN & GERAEDTS), 145.
Leukaemia, Philadelphia negative chronic granulocytic, heterogeneous blast cell crises in (HUGHES, MCVERRY, WALKER, BRADSTOCK, HOFFBRAND & JANOSSY), 563.
Leukaemia, resistant acute, studies on the molecular basis of cell killing during treatment in, with the adenosine deaminase inhibitor 2′ deoxycoformycin (RUSSELL, PRENTICE, LEE, PIGA, GANESHAGURU, BRADSTOCK, SMYTHE & HOFFBRAND), 632.
Leukaemia, treated acute, immunofluorescent and biochemical studies of terminal deoxynucleotidyl transferase in (BRADSTOCK, JANOSSY, HOFFBRAND, GANESHAGURU, LLEWELLIN, PRENTICE & BOLLUM), 121.
Leukaemic patients, T-cell proliferative and anomalous cytotoxic responses in (KNIGHT, STEPHENS, ADDISON & GOLDSTONE), 633.
Liposome-encapsulated desferrioxamine in experimental iron overload (LAU, CERNY & RAHMAN), 505.
Lymphocytes and haematopoiesis (GORDON & GORDON-SMITH), 163.

May-Hegglin anomaly, defective neutrophil mobility in (CABRERA, FONTÁN, LORENTE, REGIDOR & FERNÁNDEZ), 337.
Megakaryocytes, on the alleged phagocytosis by (BRETON-GORIUS), 635.
Megaloblastic marrow cells, metabolism of deoxyuridine-derived nucleotides by (TAHERI, WICKREMASINGHE & HOFFBRAND), 628.
Membrane proteins synthesized by human reticulocytes and their precursors (KRASNOW, PIELICHOWSKI, CARO, BURKA & BALLAS), 171.
Methaemoglobinaemia, congenital, due to NADH methaemoglobin reductase deficiency: successful treatment with oral riboflavin (HIRANO *et al*), 353.
Methaemoglobinaemia resulting from heterozygosity for two NADH-methaemoglobin reductase variants: characterization as NADH-ferricyanide reductase (BOARD & PIDCOCK), 361.
Microvesicles from sickle erythrocytes and their relation to irreversible sickling (ALLAN, LIMBRICK, THOMAS & WESTERMAN), 383.
Myoglobin depletion in childhood iron deficiency (HARGREAVES, STREET, HOY, JACOBS & MCLAREN), 399.
Myeloma, multiple, relation of osteoclast activating factor production to extent of bone disease in (DURIE, SALMON & MUNDY), 21.
Myeloma serum, effect of temperature upon relative viscosity of normal and (LEONARD), 161.

Neutropenia, severe, and pure red-cell aplasia, abnormal T-cell populations in (LINCH, WORMAN, CAWLEY, LYDDYARD, CALLARD & BEVERLY), 627.
Neutrophil migration, *in vitro*, inhibitor of, in sera of children with homozygous sickle cell gene during pain crisis (AKENZUA & AMIENGHEME), 345.
Neutrophil mobility, defective, in the May-Hegglin anomaly (CABRERA, FONTÁN, LORENTE, REGIDOR & FERNÁNDEZ), 337.

Oxymetholone, effect on human cyclic haematopoiesis (ROOZENDAAL, DICKE & BOONZAJER FLAES), 185.

Penicillin-treated human red blood cells, antibody-dependent cell-mediated cytotoxicity (ADCC) of (YUST, FRISCH & GOLDSHER), 443.
$Ph^1$ translocation, complex, in a patient with primary thrombocythaemia (FITZGERALD, MCEWAN, FRASER & BEARD), 571.
Philadelphia chromosome positive acute lymphoblastic leukaemia with T-cell characteristics (ROOZENDAAL, VAN DER REIJDEN & GERAEDTS), 145.
Plasma ferritin, regulation by the isolated perfused rat liver (MACK, COOKSLEY, FERRIS, POWELL & HALLIDAY), 403.
Plasminogen, comparative studies on human activators of (MACKIE, BOOTH & BENNETT), 77.
Platelet adherence to collagen: role of plasma, ADP, and divalent cations (COWAN, ROBERTSON, SHOOK & GIROSKI), 257.
Platelet aggregation induced by ADP from unsheared erythrocytes at physiological $Ca^{++}$-concentration (AURSNES, GJESDAL & ABILDGAARD), 149.

Platelet release reaction, hereditary bleeding disorder due to a primary defect in (Wu, Minkoff, Rossi & Chen), 241.
Polycythaemic patients, delay in red cell filtration in (Rewald & Rosasco), 485.
Prostacyclin infusion, constant, the effects during cardiopulmonary bypass (Walker, Davidson, Faichney, Davidson & Wheatley), 629.
Prostacyclin infusions, clinical, the effect in advanced arterial disease on platelet function and plasma 6-keto $PGF_{1\alpha}$ levels (Machin, Chamone, Defreyn & Vermylen), 413.
Pyruvate kinase variants, three, with increased affinity for PEP (Elder, Lappin, Lawson & Bridges), 371.

Reticulocytes, human, and their precursors, membrane proteins synthesized by (Krasnow, Dicke & Boonzajer Flaes), 185.

Sickle cell gene, homozygous, during pain crisis, inhibitor of *in vitro* neutrophil migration in sera of children with (Akenzua & Amiengheme), 345.
Sickle cell haemoglobinopathies in Birmingham children: a prospective study of the natural history and complications (Mann), 630.
Sickling, irreversible, microvesicles from sickle erythrocytes and their relation to (Allan, Limbrick, Thomas & Westerman), 383.

T-cell characteristics, Philadelphia chromosome positive acute lymphoblastic leukaemia with (Roozendaal, van der Reijden & Geraedts), 145.
T-lymphocytes and peripheral blood monocytes interact to promote erythroid growth *in vitro* from peripheral blood null cells (BFU-E) (Reid, Baptista & Chanarin), 627.
Thalassaemia, alpha, the genetics and molecular basis of, in association with Hb S in Jamaican Negroes (Higgs, Preshey, Serjeant, Clegg & Weatherall), 43.
Thalassaemia, heterozygous $\alpha$ or $\beta$, globin biosynthesis in erythroid bursts of (Steinberg, Coleman, Pressley & Adams), 57.
Thrombin and plasmin activities and platelet releasing stimuli in plasma, simultaneous measurement of (Lane, Ireland, Wolff, Boots & Pegrum), 630.
Thrombocythaemia, primary, a complex $Ph^1$ translocation in a patient with (Fitzgerald, McEwan, Fraser & Beard), 571.
Thromboxane synthetase, familial deficiency of (Machin, Carreras, Chamone, Defreyn, Dauden & Vermylen), 629.
Trimethroprim, effects on leukaemic cells *in vitro* (Rivard, Momparler & Momparler), 221.

Vitamin $B_{12}$, how it acts (Chanarin, Deacon, Perry & Lumb), 487.
Vitamin $B_{12}$, the effect of nitrous oxide-induced inactivation of, on folate-mediated single-carbon unit transfer (Deacon, Perry, Lumb & Chanarin), 628.
Von Willebrand's disease and haemophilia A, response of factor VIII/von Willebrand factor to DDAVP in healthy subjects and patients with (Mannucci, Canciani, Rota & Donovan), 283.
Von Willebrand's disease and haemophilia A, factor VIII:C and VIII:CAg response in patients with, after administration of different factor VIII concentrates or plasma (Holmberg, Borge & Nilsson), 587.